

MACHINE-DATA

Machinetype	: Agrafeuses
Make	: RUCHSER
Type	: RU-LH Lackierhilfe Video
Year	: neu
Control type	:
Control	:
Storage location	: ab Werk
Origin	: Germany
Delivery time	: after arrangement
Quotation	: ex work
Price	: on request



TECHNICAL DATA

Clamp length	, mm
Clamp width	, mm
	, Nm

TECHNICAL DESCRIPTION

Painting aid for painting the sash and glazing bead frame at the same time

*RU-LH painting aid for glazing bead frames
for processing staples L=50mm*

*Length 700 mm, width 500 mm, working height
adjustable from 700 - 1200 mm. At the 4 corners*

1 bracket is placed on each of the glazing bead frames.

*The positioning is done diagonally and in such a way that
the brackets protrude approx. 35 mm from the wood,*

When pressed into the sash frame, a

clamping. The glazing bead frame is ready for painting

Positioned at a distance of approx. 20 mm in front of the sash.

After drying or before installing the sash

the glazing bead frame is flush with the sash

pressed and only removed again before glazing.

The clamps can then be pulled out again by hand

become. Stand frame with support table vertical 85°,

adjustable in inclination. 2 pieces compensation frames

for different glazing bead thicknesses, operation via

foot valve.

Agrafeuses
RUCHSER
RU-LH Lackierhilfe Video
Stock no. :1305-6393



Price on request plus packaging and shipping

Option with extra charge:

Package of brackets 26 x 50 mm, 4,300 pieces each

EUR 70.00

You can find recordings of the painting aid at the end of the video below!

(technical information according to manufacturer - no guarantee!)

VIDEO-LINKS



WEB-LINK

https://lagermaschinen.de/maschinen-datenblatt/Agrafeuses/RUCHSER/RU-LH_Lackierhilfe_Video/1305-6393

MACHINE PICTURES

